



EVOTECH®
P E R F O R M A N C E

Installation Instructions





KAWASAKI ZX10R 2016 TAIL TIDY


Product Reference - 012955


Kit Contents


- | | |
|--------------------------------------|--------------------------------------|
| (A) 1 x Main Tail Tidy | (H) 2 x Plastic Screws |
| (B) 1 x Plate Light Bracket | (I) 2 x Plastic Nuts |
| (C) 1 x Reflector and Bracket | (J) 4 x M6 - 20 Socket Button Screws |
| (D) 1 x LED Light Unit | (K) 5 x Cable Ties |
| (E) 1 x Wiring Harness | |
| (F) 2 x M5 - 10 Socket Button Screws | |
| (G) 2 x M3 - 12 Socket Button Screws | |























Caution

Plastic shroud will not release completely, leave wires attached and move out of the way













Caution

Re-fit indicators to Tail Tidy
ensuring drain holes
are facing down






EVOTECH[®]
P E R F O R M A N C E




Caution


Ensure wires run neatly
in grooves







Caution

Ensure wires run neatly
in grooves











Caution

Re-route wiring harness
inside chassis










Reverse Stages
8 and 6 - 1





 **ESSENTIAL CHECKS** 

After installation of your tail tidy ensure that the licence plate does not contact the rear tyre when suspension is fully compressed.

Ensure all electrics including indicators, tail light, brake light and licence plate light lights are working correctly before riding the motorcycle.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com