



Yamaha MT-07 Tail Tidy


Installation Instructions


Product Reference - PRN011905


Kit Contents

- (A) 1 x Main Tail Tidy
- (B) 1 x Mounting Plate
- (C) 1 x Rubber Grommet
- (D) 1 x LED Light Unit
- (E) 1 x Loom Connector
- (F) 2 x Push Type Retainers
- (G) 2 x M3 x 10mm Socket Button Heads
- (H) 6 x M5 - 10 Socket Button Heads
- (I) 6 x M5 Washers













RELEASE

RE-SET

RE-FIT







Repeat
Both Sides



Repeat
Both Sides



Repeat
Both Sides






Repeat
Both Sides



Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides





Repeat
Both Sides






Repeat
Both Sides





Repeat
Both Sides















Repeat
Both Sides





RELEASE




RE-SET



RE-FIT












Repeat
Both Sides



Repeat
Both Sides





Repeat
Both Sides








G











Feed cable tie through tail tidy
so the head sits inside the
slot on the outer face














OEM PART


B














RELEASE






RE-SET





RE-FIT













 **ESSENTIAL CHECKS** 

After installation of your tail tidy ensure that the licence plate does not contact the rear tyre when suspension is fully compressed.

Ensure all electrics including indicators, tail light, brake light and licence plate light lights are working correctly before riding the motorcycle.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com