



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com

Yamaha Tracer 7 Radiator Guard Installation Instructions



Kit Contents PRN013368


Ⓐ 6 x Rubber Bungs



EVOTECH[®]
P E R F O R M A N C E



Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides




Repeat
Both Sides



Repeat
Both Sides




Repeat
Both Sides



Repeat
Both Sides





Repeat
Both Sides



Locate round holes
amongst hexagons.

Push Rubber Spacer
through from the
back of the guard
so Hexagonal shape
sits on the front face






EVOTECH[®]


P E R F O R M A N C E



Caution


Apply Lubrication
to the rubber
bungs










EVOTECH[®]
P E R F O R M A N C E













EVERPOWER
PERFORMANCE




EVER PERFECT




Caution


Apply Lubrication
to the rubber
bungs





EVOTECH
P E R F O R M A N C E





Reverse Stages

10 - 1

EVOTECH®
P E R F O R M A N C E



ESSENTIAL CHECKS

It is recommended that periodic inspections are made to ensure that dirt and debris have not become trapped between the guard and the radiator/oil cooler. Such dirt and debris would reduce the cooling efficiency of the radiator/oil cooler.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightened.



EVOTECH®
P E R F O R M A N C E

www.evotech-performance.com