



**EVOTECH**®  
P E R F O R M A N C E


[www.evotech-performance.com](http://www.evotech-performance.com)


Kawasaki Z650RS  
Tail tidy Instructions





## Kit Contents PRN015749


- (A) 1 x Cable Tie
- (B) 1 x Rubber Pad
- (C) 1 x Retro Light
- (D) 1 x Connector No.5
- (E) 1 x Light Block
- (F) 2 x M4 x 10 Button Head Bolts
- (G) 2 x M6 x 20 Button Head Bolts
- (H) 2 x M6 x 25 Button Head Bolts
- (I) 2 x M4 Flange Nut
- (J) 4 x M6 Flange Nut

























Caution


Unhook  
Wires























Repeat  
Both Sides




Repeat  
Both Sides





Repeat  
Both Sides





Repeat  
Both Sides
















Repeat  
Both Sides




Repeat  
Both Sides




OEM PART

Repeat  
Both Sides




OEM PART


Repeat  
Both Sides



Repeat  
Both Sides

OEM PART








Loop cable ties through the  
tail tidy.  
Secure wires in position






Caution







 **Locate Pad  
In Marked Position**








OEM PART





















193











## ESSENTIAL CHECKS



After installation of your tail tidy ensure that the licence plate does not contact the rear tyre when suspension is fully compressed.

Ensure all electrics including indicators, tail light, brake light and licence plate light lights are working correctly before riding the motorcycle.

It is recommended that periodic inspections are made to ensure that all fixings are fully tightend.



**EVOTECH**®  
P E R F O R M A N C E

[www.evotech-performance.com](http://www.evotech-performance.com)